	John Jordi, P.T.A. DME ordered from:
	Physical Therapist Code / Description Loss Code / Desc
	L8239 / A4460 / S8429 Lower leg/arm bandage pkg terms noted below 4 sets
Klose Lymphedema Conference	L\$420 / A6532 Knce high CC 3 circular knit size 2 pair
	Additional information 0
2019	A4465 Non elastic compression Biacare comprilex 2
	Bandages: \(\begin{bmatrix} & begin{bmatrix} & begin{bmat
	Case manager: Please fill out and inform us of patient decision, thank you. 423-668-9821
	John, We have a problem I carled Alliant, the bandages are not covered at all - Then, in 32 years of business, we have never placed a 40-
	bandages are not covered at all. Then, in
Under Pressure	32 years of business, we have never placed a 40- So monha hose! I checked to the 3 distri we use for
	hose; Not a single one has 40-50 compression!
	These portered processed fitted/picked up
	Approved By Patient Not Approved By Patient
	Patient Signature:



- How do you progress your patient in exercises?
 One pound at a time
- How much pressure is enough for your patient? • The amount needed to get reduction comfortably

How much compression are you using now?

• Asked 12 therapists:

- How much pressure under lower leg wraps
 - Average of 20-30 mmHg
 - Choose only cc 2 for most patients
 - Average certified time: 14 years

Average pressure used

- Resting pressure: 62-70 mmHg
- Standing pressure: undetermined (over 80 mmHg)

How was pressure determined?

• Juzo Pressure monitor





Strengths

- Simple to use
- Safe to use on multiple patients
- Reliable up to 80 mmHg
- Immediate changes noted
- Easily moved from location
- Compliance
- Easy cleaning

Weaknesses

- Limited to 80 mmHg
- One site at a time

How does your compression feel?





Application

- What difference will this make on Monday morning?
- Consistent wrapping
- Determine pressures
 - Higher or lower
 - Progress plateaued
 - Change to garments
- Consistency between therapists


Application

- Tuesday morning
 - Patient can match your pressures
 - Follow up visits can show faster reduction
 - Finish strong
 - Best garment choice
 - Other therapy needs (deconditioning, etc)

Putting it together

- Bandaging
- Consistency in pressures
- Stockings
 - Choosing the right pressure
- Night garments
 - Adjusting for correct pressures Patient compliance
- Long term follow up
 Objective data

Thank you!



©Klose Lymphedema Conference 2019